



SECTION A-A



DETAIL A
SCALE 4.000

NOTES:

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE
3. P10=Po X 10
4. DIE # 9D009-R1

Ao	20.40 [.803]
Bo	20.40 [.803]
Ko	4.85 [.191]
K1	3.85 [.152]

TOLERANCES UNLESS OTHERWISE SPECIFIED	DRAWN BY K. WAGNER	DATE 14-Nov-02
±	CHECKED BY R. BAKER	DATE 12-Dec-02
±	DESIGNED BY .	DATE .
±	APPROVED BY .	DATE .
±		
DRAFT UNLESS NOTED: 0.5°		
∡ ± 0.5°		
ALL DIMENSIONS ARE IN MM		
SCALE: NTS		
1 SHEET OF 1		

--- CONFIDENTIALITY ---

THIS DRAWING IS HEREBY DESIGNATED AS CONFIDENTIAL. INFORMATION ON IT IS PROPRIETARY Accutech AND SHALL NOT BE USED OR DISCLOSED TO THIRD PERSONS EXCEPT IN CONFORMITY WITH Accutech WRITTEN CONSENT.

UNLESS OTHERWISE NOTED:

ALL DIMENSIONS AND TOLERANCES PER ASME Y14.5M-1994 AND Accutech DRAFTING STANDARD NO. 1.0000.

Accu-Tech Plastics

THIRD ANGLE PROJECTION

TITLE/DESCRIPTION: TAPE - CARR PLCC-52P REV 1 32mm

PART NO./I.D. NO.: CT-0632H-073

MATERIAL/MOLD NO.: STATIC DISSIPATIVE POLYSTYRENE

DRAWING NO.: 01-019452

A SIZE

APPD. BY

X-1436

ECO NO.

REV. A