




NOTES:

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE
3.  $P_{10} = P_0 \times 10$

4. NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE.

A <sub>0</sub>	6.30±0.10 [0.248±.004]
B <sub>0</sub>	6.30±0.10 [0.248±.004]
K <sub>0</sub>	6.10±0.10 [0.240±.004]

<b>IMPORTANT NOTICE:</b>			<b>A</b> SIZE
DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND <b>Accutech</b> PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994			THIRD ANGLE PROJECTION 
NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.		DESCRIPTION	TAPE - CARR R1612-CT49V 16mm  CT-9916H-079  SEE NOTE 
ALL DIMENSIONS ARE IN MILLIMETERS [INCHES]		PART NO.	
DRAWN BY K. ANDERSON	DATE 23-Oct-02	MATERIAL	
DO NOT SCALE		DRAWING NO.	
SHEET 1 OF 1		01-019276	X-13615  ECO NO. REV.  <b>B</b>