

**SECTION B-B**

NOTES:

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE
3.  $P10 = P_0 \times 10$

4. NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE.

A <sub>0</sub>	13.00±0.10 [0.512±.004]
B <sub>0</sub>	13.00±0.10 [0.512±.004]
K <sub>0</sub>	4.95±0.10 [0.195±.004]
K <sub>1</sub>	4.20±0.10 [0.165±.004]


**IMPORTANT NOTICE:**

DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND **Accutech** PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994

NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.

ALL DIMENSIONS ARE IN MILLIMETERS [INCHES]      DRAWN BY K. ANDERSON      DATE 14-Nov-02

DO NOT SCALE      SHEET 1 OF 1



THIRD ANGLE PROJECTION

DESCRIPTION TAPE - CARR  
PLCC28P 24mm

PART NO. CT00007

MATERIAL SEE NOTE

DRAWING NO. 01-019542

A SIZE

X-10795

ECO NO. REV.

D