



**SECTION A-A**

**NOTES:**

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE.
3.  $P10 = P_0 \times 10$
4. NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE.

A <sub>0</sub>	13.00±0.10 [0.512±.004]
B <sub>0</sub>	15.50±0.10 [0.610±.004]
K <sub>0</sub>	3.90±0.10 [0.154±.004]

<b>IMPORTANT NOTICE:</b>				<b>A</b> SIZE
DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND <b>Accutech</b> PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994				
NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.			THIRD ANGLE PROJECTION	X-11556
			DESCRIPTION TAPE - CARR PLCC-32F 24mm	
			PART NO. CT00010	
			MATERIAL SEE NOTE	
ALL DIMENSIONS ARE IN INCHES [MILLIMETERS]	DRAWN BY K. WAGNER	DATE 08-Jan-03	DRAWING NO. 01-020065	ECO NO. REV.
DO NOT SCALE		SHEET 1 OF 1		<b>D</b>