



**SECTION A-A**

**NOTES:**

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE.
3.  $P10 = P_0 \times 10$
4. NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE.

Ao	14.50±0.10 [0.571±.004]
Bo	14.50±0.10 [0.571±.004]
Ko	2.10±0.10 [0.083±.004]
KI	1.40±0.10 [0.055±.004]

**IMPORTANT NOTICE:**

DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND **Accutech** PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994

NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.

ALL DIMENSIONS ARE IN INCHES [MILLIMETERS]      DRAWN BY K. WAGNER      DATE 08-Jan-03

DO NOT SCALE      SHEET 1 OF 1



THIRD ANGLE PROJECTION

DESCRIPTION TAPE - CARR TQFP 12 X 12 24mm

PART NO. CT00050

MATERIAL SEE NOTE

DRAWING NO. 01-020072

A SIZE

X-11577

ECO NO. REV.

C