


**SECTION B-B**



**NOTES:**

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE
3.  $P10 = P_0 \times 10$
4. DIE # WR000005

5. NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE

A <sub>0</sub>	3.09±0.10 [0.122±.004]
B <sub>0</sub>	3.04±0.10 [0.120±.004]
K <sub>0</sub>	1.27±0.10 [0.050±.004]

<b>IMPORTANT NOTICE:</b>				<b>A</b> SIZE	
DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND <b>Accutech</b> PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994				THIRD ANGLE PROJECTION	
NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.			DESCRIPTION	X-9216  ECO NO. REV.	
ALL DIMENSIONS ARE IN MILLIMETERS [INCHES]			DRAWN BY		DATE
			K. ANDERSON		16-Apr-04
DO NOT SCALE			PART NO.		CT00221
SHEET 1 OF 1			MATERIAL	SEE NOTE	
			DRAWING NO.	01-020709	