


SECTION B-B



NOTES:

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE
3. $P_0 = P_{10} \times 10$
4. DIE # WR000008

5. NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE.

USER DIRECTION OF UNREELING →

1	2
3	4

PIN 1 LOCATION

A ₀	2.280 [0.090]
B ₀	2.320 [0.091]
K ₀	1.080 [0.043]

IMPORTANT NOTICE:

DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND **Accutech** PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994

NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.

ALL DIMENSIONS ARE IN MILLIMETERS [INCHES]
 DRAWN BY: K. ANDERSON
 DATE: 05-Jan-04

DO NOT SCALE SHEET 1 OF 1



THIRD ANGLE PROJECTION

DESCRIPTION: TAPE - CARR SOT323 8mm

PART NO.: CT00226 5.

MATERIAL: SEE NOTE 5.

DRAWING NO.: 01-021470

A SIZE

X-4103

ECO NO. REV.

B