


**SECTION B-B**



**NOTES:**

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE
3.  $P10 = P_0 \times 10$

4. NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE.

A <sub>0</sub>	6.80 ±0.10	[0.268 ±.004]
B <sub>0</sub>	5.50 ±0.10	[0.217 ±.004]
K <sub>0</sub>	2.95 ±0.10	[0.116 ±.004]
K <sub>I</sub>	1.95 ±0.10	[0.077 ±.004]

<b>IMPORTANT NOTICE:</b>				<b>A</b> SIZE
DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND <b>Accutech</b> PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994				THIRD ANGLE PROJECTION
NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.			DESCRIPTION	X-9636
			TAPE - CARR XT 16mm	
			PART NO.	
			CT00308	
ALL DIMENSIONS ARE IN MILLIMETERS [INCHES]			MATERIAL	SEE NOTE
DRAWN BY K. ANDERSON		DATE 30-Mar-04	ECO NO. REV.	
DO NOT SCALE		SHEET 1 OF 1	DRAWING NO.	B
			01-026706	