



SECTION A-A

NOTES:

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE.
3.  $P10 = P_0 \times 10$



NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE.

A <sub>0</sub>	16.15±0.10 [0.636±.004]
B <sub>0</sub>	16.15±0.10 [0.636±.004]
K <sub>0</sub>	6.45±0.10 [0.254±.004]

IMPORTANT NOTICE:

DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND **Accutech** PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994

NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.

ALL DIMENSIONS ARE IN INCHES [MILLIMETERS]    DRAWN BY K. ANDERSON    DATE 08-0c+-04

DO NOT SCALE    SHEET 1 OF 1



THIRD ANGLE PROJECTION

DESCRIPTION  
TAPE - CARR  
GPS ANTENNA 24mm

PART NO. CT00325

MATERIAL SEE NOTE

DRAWING NO. 01-028919

A SIZE

X-9735

ECO NO. REV.

B