



NOTES:

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE
3.  $P_{10} = P_0 \times 10$

4. NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE.

A <sub>0</sub>	2.79±0.10 [0.110±.004]
B <sub>0</sub>	3.56±0.10 [0.140±.004]
K <sub>0</sub>	1.24±0.10 [0.049±.004]

IMPORTANT NOTICE:		
DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND <b>Accutech</b> PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994		
NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.		
ALL DIMENSIONS ARE IN MILLIMETERS [INCHES]	DRAWN BY K. ANDERSON	DATE 02-Jul-04
DO NOT SCALE	SHEET 1 OF 1	

		A SIZE
THIRD ANGLE PROJECTION		X-9603
DESCRIPTION TAPE - 1210 - 049 8mm		
PART NO. CT00341		
MATERIAL SEE NOTE		
DRAWING NO. 01-027778		ECO NO. REV. B