


**SECTION B-B**



**NOTES:**

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE
3.  $P10 = P_0 \times 10$

4. NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE.

A <sub>0</sub>	1.35 ±0.10 [0.053 ±.004]
B <sub>0</sub>	2.24 ±0.10 [0.088 ±.004]
K <sub>0</sub>	1.22 ±0.10 [0.048 ±.004]

<b>IMPORTANT NOTICE:</b>				<b>A</b> SIZE
DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND <b>Accutech</b> PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994				THIRD ANGLE PROJECTION
NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.			DESCRIPTION TAPE - 0805 - 048 8mm	X-9612
ALL DIMENSIONS ARE IN MILLIMETERS [INCHES]			PART NO. CT00386	
DRAWN BY K. ANDERSON	DATE 26-Apr-04	MATERIAL SEE NOTE		
DO NOT SCALE		SHEET 1 OF 1	DRAWING NO. 01-026986	
				ECO NO. REV. C