


**SECTION B-B**



NOTES:

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE
3.  $P_{10} = P_0 \times 10$

4. NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE.

|                |                            |
|----------------|----------------------------|
| A <sub>0</sub> | 1.68 ± 0.10 [0.066 ± .004] |
| B <sub>0</sub> | 1.68 ± 0.10 [0.066 ± .004] |
| K <sub>0</sub> | 0.73 ± 0.10 [0.029 ± .004] |

|   |                   |              |   |                        |
|---|-------------------|--------------|---|------------------------|
| <b>IMPORTANT NOTICE:</b>  |                   |              |   | <b>A</b> SIZE          |
| DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND <b>Accutech</b> PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994 |                   |              |   | THIRD ANGLE PROJECTION |
| NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.   |                   |              | DESCRIPTION<br>TAPE - 1.68 X 1.68 X 0.73 DIE<br>8mm | 16001-X-10091          |
| ALL DIMENSIONS ARE IN MILLIMETERS [INCHES]  |                   |              | PART NO.<br>CT00398                                 |                        |
| DRAWN BY<br>K. ANDERSON   | DATE<br>28-Jul-04 |              | MATERIAL<br>SEE NOTE                                |                        |
| DO NOT SCALE  |                   | SHEET 1 OF 1 | DRAWING NO.<br>01-028091                            |                        |
|   |                   |              |   | ECO NO.<br>REV.<br>A   |