



SECTION B-B

NOTES:

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE
3. $P_{10} = P_o \times 10$
4. NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE.

A_o	8.26 ± 0.10	$[0.325 \pm .004]$
B_o	9.53 ± 0.10	$[0.375 \pm .004]$
K_o	6.10 ± 0.10	$[0.240 \pm .004]$
K_I	5.59 ± 0.10	$[0.220 \pm .004]$

IMPORTANT NOTICE:				A SIZE
DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND Accutech PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994				THIRD ANGLE PROJECTION
NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.			DESCRIPTION TAPE - CARR 811-0204 (500-1944) 24mm	8 X
ALL DIMENSIONS ARE IN MILLIMETERS [INCHES]			PART NO. CT00443	
DRAWN BY K. ANDERSON	DATE 02-Feb-05	MATERIAL SEE NOTE	ECO NO. REV.	
DO NOT SCALE	SHEET 1 OF 1	DRAWING NO.	01-030861	A