



NOTES:

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE
3.  $P_{10} = P_0 \times 10$

4. NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE.

A <sub>0</sub>	20.50±0.10 [0.807±.004]
B <sub>0</sub>	20.50±0.10 [0.807±.004]
K <sub>0</sub>	5.30±0.10 [0.209±.004]
K <sub>1</sub>	4.20±0.10 [0.165±.004]

<b>IMPORTANT NOTICE:</b>				<b>A</b> SIZE
DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND <b>Accutech</b> PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994				THIRD ANGLE PROJECTION
NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.			DESCRIPTION	X-11438
			TAPE - CARR PLCC52F 32mm	
			PART NO. CT00449	
			MATERIAL SEE NOTE	
ALL DIMENSIONS ARE IN MILLIMETERS [INCHES]	DRAWN BY K. ANDERSON	DATE 02-Feb-05	DRAWING NO. 01-030860	ECO NO. REV. <b>A</b>
DO NOT SCALE	SHEET 1 OF 1			