



NOTES:

1. EIA-481 STANDARDS APPLY
2. POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET, NOT POCKET HOLE
3. $P_{10} = P_0 \times 10$

4. NUMBER IDENTIFIES PRODUCT CONFIGURATION. FOR COMPLETE ORDER NUMBER TO INCLUDE MATERIAL TYPE AND QUANTITY PER REEL, CONTACT CUSTOMER SERVICE.

A ₀	17.15±0.10 [0.675±.004]
B ₀	22.86±0.10 [0.900±.004]
K ₀	9.60±0.10 [0.378±.004]
K ₁	6.44±0.10 [0.254±.004]
K ₂	1.0±0.10 [0.039±.004]

IMPORTANT NOTICE:				A SIZE
DRAWING DOES NOT CONTAIN ALL DIMENSIONS, SPECIFICATIONS, AND TOLERANCES. THIS DRAWING IS INTENDED TO ASSIST THE CUSTOMER IN DESIGNING AN INTERFACE MODULE BETWEEN THE CUSTOMER'S EQUIPMENT AND Accutech PRODUCT/EQUIPMENT. ALL DIMENSIONS AND TOLERANCES IF DEFINED ARE PER ASME Y14.5M - 1994				THIRD ANGLE PROJECTION
NOTE: ALL DIMENSIONS ARE CONSIDERED CRITICAL.			DESCRIPTION	X-12795
			TAPE - CARR 12-1429-23 44mm	
			PART NO.	
			CT00475_PROGRAM	REV.
			MATERIAL	
			SEE NOTE 4.	A
ALL DIMENSIONS ARE IN MILLIMETERS [INCHES]	DRAWN BY JSTEFF	DATE 03-May-05	DRAWING NO.	
DO NOT SCALE	SHEET 1 OF 1		01-033545_PROGRAM	